

Comprehensive Primary Care for Adults With HIV

December 2022

Assessment	To Include	Frequency*		
		I	Α	E
Current HIV-Specific Sto	itus and History			
HIV	 History of HIV testing Date and source of diagnosis Route of exposure, if known HIV type; if unknown, see NYSDOH AI guideline <u>Diagnosis and Management</u> of HIV-2 in Adults 	I		
Antiretroviral therapy	 Date of ART initiation Current ART regimen Previous ART regimens and reasons for any changes in regimens History of drug resistance, if known Adverse effects Current adherence status and challenges Knowledge of <u>U=U</u> If ART has not been initiated, see NYSDOH AI guideline <u>Rapid ART Initiation</u>. 	I	A	
Viral load	 Most recent viral load Peak viral load 	I	A	
CD4 cell count	 Most recent CD4 cell count Nadir CD4 cell count 	I	A	
AIDS-defining conditions	 Previous diagnoses and treatments History of malignancies and treatments Investigation of symptoms such as weight loss, night sweats, or chronic cough 	Ι		
Opportunistic infections	 Previous OI prophylaxis Previous diagnoses and treatment, including latent TB infection Adverse reactions to medications for OI prophylaxis or treatment 	I		
Current Medications				
Complete medication list	 All medications: prescribed, over-the-counter, herbal preparations; include nonpharmacologic agents Potential drug-drug interactions Adverse effects Challenges with adherence to prescribed medications 	I	A	E
Current General Medico	al Status and History			
Immunizations	 History of immunizations Status of HIV- and age-related preventive <u>immunizations</u> 	I	A	
Age-related disease screening	Results of previous age-related disease screening tests	I	A	
Cardiovascular	 History of cardiac events, stroke, and treatment History of hypertension History of diabetes or insulin resistance Risk factors for CVD Family history of CVD 	I	A	

Available at: hivguidelines.org/hiv-primary-care/

1



			Frequency*		
Assessment	To Include	I	Α	E	
Respiratory	History of COPD and treatment	I	Α		
	Current tobacco/vape use and smoking history				
Cancer	History of prior malignancies and treatment	1	Α		
	Previous age-appropriate screening and results				
	Family history of malignancies				
Renal	History of renal disease and treatment	1			
	Consider ART history				
	Consider associated comorbidities				
Hepatic	• History of and treatment for viral hepatitis (HAV, HBV, or HCV)	I			
	Adverse reactions to medications				
	Risk factors for nonalcoholic steatohepatitis				
	Past alcohol use				
	Current alcohol use				
Endocrine	Symptoms of thyroid dysfunction or hypogonadism	1	Α		
	Sexual dysfunction	-			
	Weight loss or weight gain				
	Family history of metabolic syndrome and thyroid disease				
	History of osteoporosis and treatment, fractures, and previous screening				
	History of lipodystrophy and treatment				
	Use of hormonal therapy (including treatments obtained without				
	prescription)				
	Current and previous ART use, which may contribute to metabolic				
	syndrome, lipodystrophy, and insulin resistance				
Gastrointestinal	History of GI disease and treatment	1	Α		
	GI-related adverse effects of medications and effect (if any) on adherence	•			
	to prescribed medications				
	Family history of GI disease				
Vision	Changes in vision, including blurry vision, double vision, flashes of light, loss	1	Α		
VISION	of vision, use of glasses, and blindness or legal blindness	•			
Hearing	Changes in hearing	1	Α		
	 Recent audiology testing or new hearing aid use 	•			
Neurologic	History of neurocognitive assessment and results	1	Α		
	 Assessment of current neurocognitive status, preferably using standardized 	•			
	tools such as the MoCA Test (requires an account), Mini-Cog, or MMSE				
	History of neuropathy and treatment				
	 Assessment of symmetric distal polyneuropathy, which is common, 				
	particularly in patients exposed to earlier generations of ART				
Dermatologic	History of psoriasis and treatment	1	Α		
	History of seborrheic dermatitis and treatment	•			
	History of atopic dermatitis and xerosis and treatment				
	History of skin cancer and treatment				
	Note: Dermatitis can worsen with degree and duration of				
	immunosuppression.				
Surgery	History of surgical procedures, including adverse reactions to anesthesia	1	Α		
	 History of or planned gender-affirming surgery (see WPATH Standards of 				
	Care Version 8)				
Pain	History of evaluation and treatment for chronic pain (initial visit)	1		E	
1 0111	 Current treatment for chronic pain (every visit) 				
	 See CDC <u>Clinical Practice Guideline for Prescribing Opioids for Pain — United</u> 				
	• See CDC <u>clinical Practice Guideline for Prescribing Opiolds for Pain — United</u> States, 2022			1	

Available at: hivguidelines.org/hiv-primary-care/



Assessment	To Include	Frequency*			
		I	Α	E	
Sleep	History of chronic obstructive sleep apnea and treatment	I			
	History of sleep disturbances and treatment				
Nutrition	History of wasting			E	
	Dietary habits, including appetite				
	Food insecurity				
	Note: If indicated, see <u>USDA Food Security Survey Tools</u>				
Frailty	Functional status		Α		
	History of gait instability or other problems associated with frailty				
	Assessment of current status using standardized tools, such as those				
	available through the Comprehensive Geriatric Assessment Toolkit Plus				
Travel	Recent travel; assess for potential exposure to infectious disease	1	Α		
	Frequency and location of international travel (work or leisure)				
	Status of travel-related immunizations				
	Lifetime travel history, if indicated				
Pets	Current and past pet ownership, including exotic animals	1	Α		
	History of zoonotic diseases and treatment				
	iretroviral therapy; CDC, Centers for Disease Control and Prevention; COPD, chronic obstrue	ctive nulr	nonary		

Association for Transgender Health.

Available at: hivguidelines.org/hiv-primary-care/

3